

## Daftar Dosis Obat

ANGKA ROMAWI		
1 = I	5 = V	10 = X
50 = L	100 = C	500 = D
1000 = M	40 = XL	90 = XC
400 = CD	900 = CM	1500 = MD

OBAT ORAL DALAM ACE-INHIBITOR		
Nama Obat	Dosis Dewasa	Dosis Anak
Captopril (3dd)	12,5-25 mg/x	
Nalapril Maleat 1-2dd	10-40 mg/hr	

ANALGETIK-ANTIPIRETIK		
Nama Obat	Dosis Dewasa	Dosis Anak
Acetaminophen (Paracetamol)	500-1000 mg/x	10 mg/kg/x
Acetosal Tab: 100 mg Aspirin® 500 mg	300-1000 mg/x	65 mg/kg/hr
Antalgin	500-1000 mg/x	

Asam Mefenammat (Flufenamat) Tab: 500 mg Vial: 1 g/2ml	400-600 mg/x	
Ascal (obat cair)	300-500 mg/x	12,5 mg/kg/x or 75 mg/kg/hr

Codein HCl	30-60 mg/x	
Fenasetin	300-600 mg/x	
Ibuprofen	200 mg/x	

Metampiron	500-1000 mg/x	(mg/hr) 3 bln-1th 150-200 1-6 th 150-400 6-12 th 600-1200
Phenylbutazon Jgn u/ geriatri	100 mg/x	
Piromidon	300-600 mg/x	4-5 mg/kg/hr

ANOREKSAN		
Nama Obat	Dosis Dewasa	Dosis Anak
Amphetamine sulphate	5 mg/x	7,5-25 mg/hr
Fenilfluramine	40-60 mg/x	

ANTI-ARTHRITIS RHEUMATOID		
Nama Obat	Dosis Dewasa	Dosis Anak
Allopurinol Tab: 100, 300 mg	Ringan 100-200 mg/hr Sedang 300-600 mg/hr Berat 700-900 mg/hr	Usia <15 th: 10-20 mg/kg/hr

Asam Mefenammat	Awal 500 mg Kmdn 250-500 mg/x	20 mg/kg/hr
Ibuprofen	400 mg/x	
Na Diclofenac (3dd) Tab: 25, 50 mg	25-50 mg/x	
Piroxicam	20 mg/x (1dd)	

ANTIBIOTIKA		
Nama Obat	Dosis Dewasa	Dosis Anak
Amoxicillin sid/bs Tab:500mg,Syr: 60 ml	250-500 mg/x	50-100 mg/kg/hr (5ml ~ 125mg)
Ampicillin (Gol. Penicillin) 4dd/sid/bs Tab: 500 mg	250-500 mg/x	50-100 mg/kg/hr (5ml ~ 125mg)
Chloramphenicol 4dd/stat/bs Tab: 250 mg Vial: 1g	250-500 mg/x	50-100 mg/kg/hr (5ml ~ 125mg)
Clindamycine (Gol. Lindamycine) Stat	150-300 mg/x	8-20 mg/kg/hr
Colistin 3dd	1.500.000-3.000.000 IU/x	250.000-500.000 IU/kg/hr u/ GE: 100.000 IU/kg/hr
Cotrimoxazole 2dd/sid <b>Bayi &lt; 6 mgg ≠</b> Tab: 120, 240, 480, 960 mg Syr: 50 ml	960 mg/x or 1920 mg/hr Trim 80-Sulf 400 (2x2 tab)	36 mg/kg/hr or 320 mg/hr <b>Trim 20 ~ Sulf 100 (1:5)</b>
Disulfapyrimidine (Tablet 500 mg)	3-5 g/x	
Erythromycine (Gol. Macrolid) 4dd/stat/ns Tab: 250, 500 mg	200-500 mg/x or 1000-1500 mg/hr	30-50 mg/kg/hr 5ml ~ 200mg
Metronidazole 2dd	250 mg/x or 1000-1500 mg/hr	50 mg/kg/hr
Neomycine	100-200 mg/x	50 mg/kg/x 2dd
Nystatin	500.000 IU/x	2.000.000 IU/hr
Penicillin G sid/bs Vial: 3jt IU/10 ml	300.000-1.000.000 IU/x	50.000 IU/kg/hr
Streptomycine (Aminoglikoside) Sid/ns	500-1000 mg/x	20-30 mg/kg/hr
Sulfadiazine 6dd/stat/ Sulfa intermed act	500-1000 mg/x or 4000-8000 mg/hr	100-150 mg/kg/hr or 1-2g/hr 15ml ~ 500mg <b>KSHD</b>
Sulfasomidin 5dd Sulfa short act	500-1000 mg/x	100-150 mg/kg/hr 5ml ~ 500 mg <b>Elkosin syrup</b>
Tetracyclin 4dd/stat/bs Tab: 250, 500 mg	250-500 m/x	20-50 mg/kg/hr (5ml ~ 125mg)
Trisulfapyrimidine Tab: 500 mg	3-5 g/x	

ANTI-DIABETES		
Nama Obat	Dosis Dewasa	Dosis Anak
Glibenclamide Tab: 5 mg	2,5 mg/hr (awal) - 6 mg/x (1dd)	
Mefformin HCl Tab: 500 mg	500 mg/x (3dd)	

ANTI-DIARE		
Nama Obat	Dosis Dewasa	Dosis Anak
Active Charcoal (Norit®)	5-10 mg/x	

ANTI-EMETIC		
Nama Obat	Dosis Dewasa	Dosis Anak
Chlorpromazine	25-50 mg/x	
Promethazine	25 mg/x	1-2 mg/kg/hr

ANTI-HELMINTIC		
Nama Obat	Dosis Dewasa	Dosis Anak
Mebendazole	100-500 mg/x	
Pyrantel Pamoat (Combantrin®)	100 mg/x	

ANTI-HIPERASIDITAS LAMBUNG		
Nama Obat	Dosis Dewasa	Dosis Anak
ANTASIDA		
Alum. Hidroksida <b>ESO: Konstipasi</b>	250-500 mg/x	
Magn. Hidroksida/ Magn. Carbonate <b>ESO: Diare ~ laksan</b>	250-500 mg/x	(mg/hr) 3 bln-1th 400 1-6 th 600-800 6-12 th 900-1200
<i>(bila Magn. Hidroksida digunakan bersama Alum Hidroksida → sinergis, dosis bisa di,, ESO me!)</i>		
Magn. Trisilikat	500-1000 mg/x	72,5-250 mg/x
Calcium carbonat	1-4 g/hr	
Nafr. Bikarbonat	1-4 g/hr	

ANTI-HISTAMIN 2		
Nama Obat	Dosis Dewasa	Dosis Anak
Cimetidine Tab: 200, 300 mg	800 mg/hr (1dd a.n.)	
<b>Cimetidine jrg digunakan krn efek anti-androgen → ginekostasi, impotensi pada pria</b>		
Famotidine Tab: 20, 40 mg	40 mg/x	
Ranitidine Tab: 150 mg. Kapsul: 300 mg,Vial: 2 ml	300 mg/hr (2dd)	

PELINDUNG MUKOSA LAMBUNG		
Nama Obat	Dosis Dewasa	Dosis Anak
Bismuth Subnitrite	300 mg/x	

ANTI-HIPERTENSI		
Nama Obat	Dosis Dewasa	Dosis Anak
Captopril	12,5-25 mg/x (2-3dd)	
Methyldopa	250 mg/x (3dd)	
Reserpin	0,25 mg (1dd)	

ANTI-HISTAMIN		
Nama Obat	Dosis Dewasa	Dosis Anak
Astemizole (Hismanal) <b>Non Sedatif</b>	10 mg/x	
CTM (ChlorTriMethon)	2-4 mg/x (3-4 dd)	0,35 mg/kg/hr (3dd)
Chlorfeniramin Maleat (gol. Propilamine) 3-4dd	4mg/x	<1th : 1 mg/x (2dd) 1-5th : 1-2 mg/x (3dd) 6-12 th : 2-4 mg/x (3-4dd)

Diphenhydramine HCl (Gol. Etanolamine) 4dd Kapsul: 25, 50 mg	50-100 mg/x <b>Max 100mg/x</b>	5 mg/kg/hr
Homochlorisiklin (Gol. Piperazine)	10 mg/x	
Loratadine (Claritine) <b>Non Sedatif</b> Tab: 10 mg	10 mg/x (2dd)	
Mebhydroline Napadysilate (Incidal®)	50-100 mg/x	
Phenylfloxamine	10 mg/x	
Promethazine (Gol. Phenothiazine) <b>Sedatif kuat</b>	12,5-50 mg/x	6,25-12,5 mg/kg/hr
Terfenadine <b>Non Sedatif</b>	60 mg/x (1dd)	30 mg (1-2dd)

ANTI-INFLAMASI		
Nama Obat	Dosis Dewasa	Dosis Anak
Dexamethasone	0,5-2 mg/x	0,2-0,5 mg/kg/hr
Prednison	5 mg/x	1-2 mg/kg/hr

ANTI-KEMBUNG		
Nama Obat	Dosis Dewasa	Dosis Anak
Simeicone (Activated Dimeticone)	20-40 mg/x	10-40 mg/kg/hr

ANTI-TUBERKULOSIS		
Nama Obat	Dosis Dewasa (mg) BB<40/40-60/>60	Dosis Anak
INH	300/450/600 (5-10 mg/kg/hr) <b>Max600mg/hr</b>	5-15 mg/kg/hr
Rifampicin <b>Anak &lt; 5th ≠</b>	150/300/450 (8-12 mg/kg/hr) <b>Max600mg/hr</b>	10-20 mg/kg/hr
Pirazinamid 3-4dd	750/1000/1500 (20-35 mg/kg/hr) <b>Max 3 g/hr</b>	20 mg/kg/hr
Ethambutol	750/1000/1500 (15 mg/kg/hr)	15-25 mg/kg/hr
Streptomycine	750/1000 or 20 mg/kg/hr i.m	15-20 mg/kg/hr <b>Max 1 g/hr</b>

ANTI-TUSIF		
Nama Obat	Dosis Dewasa	Dosis Anak
Codein HCl 3dd <b>ESO: konstipasi</b>	10-20 mg/x <b>Max: 60 mg/x</b>	1 mg/kg/hr Advised: ≠ u/ anak kecil (ESO>>>)
Cloperastine (3dd)	10-20 mg/x	
Dextrometorphan HBr	15-30 mg/x	1 mg/kg/hr (5ml-10 mg)
Noscapin HCl <b>Higroskopis</b>	15-30 mg/x	7,5-15 mg/x

APPETITE STIMULANT		
Nama Obat	Dosis Dewasa	Dosis Anak
Julapium 100	3 dd C I a.c	3 dd C I a.c
Tinct. Amara	30 gtt/x	
Vit. B Complex (3dd)	1 tab/x	½ tab/x

BETA (β)-BLOKER		
Nama Obat	Dosis Dewasa	Dosis Anak
Acebutolol	HT: 400-800 mg/hr (1-2 dd) AP: 400 mg/hr	
Pindolol	HT: 5-45 mg/hr AP: 7.5-20 mg/hr (3-4dd)	
CNS STIMULANT		
Nama Obat	Dosis Dewasa	Dosis Anak
Caffein	100-200 mg/x	10-50 mg/kg/hr
Ergotamin Tartrate <b>Anti Migraine</b>	0,5-1 mg/x	1-2 mg/kg/hr
DECONGESTAN-BRONKODILATOR		
Nama Obat	Dosis Dewasa	Dosis Anak
Amino- philline	p.o	100-200mg/x
	i.v	240 mg/x
	supp	100-200 mg/x
	(Gol Xanthin) <b>CNS stimulant. ESO: iritasi lambung.</b> Tab: 100,200, 225 mg	
Caffein	50 mg/x	
Ephedrin HCl 3dd Tab: 25 mg Vial: 50mg/1ml	10-30 mg/x <b>Max 50 mg/x</b>	0,8 (dekonges tan)-1,6 (bronkodil ator) mg/kg/hr
Phenyl Propranolamine HCl <b>Sediaan tunggal # ada</b>	<25mg/x <b>Dpt sebabkan stroke bila &gt;25mg/x</b>	1 mg/kg/hr
Salbutamol β2 agonis selektif Tab: 2 mg, 4 mg Syr: 1 mg-5 ml	2-4 mg/x <b>Bisa s/d &gt;8 mg/x</b>	1-2 mg/x 3-4dd
Teophillin 2dd Tab: 130, 150, 300 mg Syr: 15 ml-150 mg	200 mg/x	10 mg/kg/hr
DIURETIKA		
Nama Obat	Dosis Dewasa	Dosis Anak
Acetazolamide 1-4dd Tab: 125, 250 mg	250-1000 mg/hr	
Bendrofluazide	5 mg/x (1dd)	
Furosemide Tab:20, 40, 80 mg	20-80 mg/hr	
Hydro Chloro Thiazide (HCT) Tab: 25, 50 mg	25-75 mg/x	
EMETICUM		
Nama Obat	Dosis Dewasa	Dosis Anak
Ipecac	1-2 g/x	
EXPECTORANT		
Nama Obat	Dosis Dewasa	Dosis Anak
Acetyl Cystein <b>Mucolitic</b>	200 mg/x	
Ammonium Chloride 4dd <b>Higroskopis-tdk u/ puyer</b>	500-1000 mg/x	75 mg/kg/hr Advised: u/ anak yg lbh besar
Bromhexin HCl <b>Mucolitic</b>	8-16 mg/x	4 mg/x <b>5 th: 2dd 5-10 th:4dd</b>
Glyceril Guaiolat/ Guaifenesine	100-200 mg/x (6dd)	50-100 mg/x (3dd)

Ipecac/Doveri	25-100 mg/x	50 mg/x
Kalium Iodida <b>Higroskopis Sedative (Tx pre-op tirotoxicosis: 150 mg/hr)</b>	250-500 mg/x	(mg/hr) 3bl-1th 75-150 1-6th 300-600 <b>6-12th 600-900</b>
Oksolamin Sifat <b>Mucolitic</b>	10 mg/ ml	
SASA (Sol. Ammon. Spir. Anis)	2-4 %	1-2 %
Succus Liquiritiae <b>higroskopis OBH: 3 dd C I</b>	3-5 % or 500 mg/x	Dpt sebabkan gg. ginjal & elektrolit
HEART FAILURE THERAPY		
Nama Obat	Dosis Dewasa	Dosis Anak
Digoxine	0,06-0,25 mg/hr	0,035 mg/kg/hr
LAXATIVE		
Nama Obat	Dosis Dewasa	Dosis Anak
Bisacodil (Dulcolax®)	Supp 10 mg/hr a.n	0,3 mg/kg/hr
Magn. Sulphate	5-15 g/x	7,5-15mg/x
Magn. Carbonate	4-8 mg/x	2-5 mg/x
Oleum Ricini/ Castor Oil	5-20 ml/hr	
Parafin Liquidum	14-45 ml/hr a.n	
SEDATIF-HIPNOTIKA		
Nama Obat	Dosis Dewasa	Dosis Anak
Diazepam (Valium®)	5-30 mg/hr	0,5 mg/kg/hr
Phenobarbital (Luminal) Tab: 30, 50 mg	15-30 mg/x	2-4 mg/kg/hr
Na/K/Ammon. Bromida <b>(Natr. Bromida = higroskopis)</b>	500-1000 mg/x	60 mg/kg/hr
SPASMOLITIKUM		
Nama Obat	Dosis Dewasa	Dosis Anak
Atrophine Sulphate Vial: 0,25 mg/ml	0,25-0,5 mg/x	0,01 mg/kg/hr
Extract Belladonna	10-20 mg/x	0,75 mg/kg/hr
Loperamide	2-4 mg/x	0,1 mg/kg/hr
Papaverine HCl Tab: 40 mg Vial: 40 mg/ml	10-40 mg/x	2,5 mg/kg/hr
SUSPENSATOR		
Nama Bahan	Dosis	
Bentonite	1-3 %	
CMC Na	1-2 %	
Mucilago Tragacant	1-2 %	
Pulvis Gummi Arabicum	1-2 %	
Pulvis Gummosus	1-2 %	
TRANQUILIZER		
Nama Obat	Dosis Dewasa	Dosis Anak
Chlorpromazine	25-50 mg/x	6 mg/kg/hr
Promethazine	25-50 mg/x	6 mg/kg/hr

VEHICULUM-CORRIGENS		
Glucosum <b>u/ anak2/bayi terutama yg intoleran thd laktosa. Bukan corrigens rasa</b>	q.s <b>(secukupnya sampai jumlah satu puyer minimal 300 mg)</b>	
Saccharum Lactis <b>u/ puyer dewasa dan anak yg toleran thd laktosa. Bukan corrigens rasa</b>	q.s <b>(secukupnya sampai jumlah 1 puyer minimal 300 mg)</b>	
Saccharose	Corrigens rasa u/	10-20%
Sirupus simplex	u/ sirup/suspensi	
Sorbitol Sol. 60%	Corrigens rasa u/ pulveres	0,1%
Saccharum Natrii		
VITAMIN-SUPLEMEN		
Nama Obat	Dosis	
Calc lactate	0,5-1 g/x	
Vit A	6000 IU	
Vit B1	100 mg/x	
Vit B6	50-200 mg/x	
Vit B12	5-200 mg/x	
Vit C	50-500 mg/x	
Vit E	100 mg (1-3dd)	
SEDIAAN PARENTERAL		
Nama Obat	Dosis	
Adrenaline HCl	0,1 %	
Aminophylline	2 %, 4%	
CTM	1 %	
Dexamethasone	0,25 %	
Diphenhydramine	1-2,5%	
Emetine HCl	2 %	
Furosemide	1%	
Ephedrine	5 %	
Gentamycine	4 %	
Hydrocortisone	2,5 %	
Lidocaine	1 %	
Morphin HCl	1 %	
Papaverine	4 %	
Penicilline Procaine	3.000.000 IU	
Pethidine HCl	5 %	
Phenobarbital	10 %	
Rivanol	0,1 %	
Valium	0,5 %	

August 2007  
Retyped Bittion  
By: Indah eSpi

MY NOTE

OBAT LUAR	
<b>ADEPS LANAE</b>	
Bentuk	Dosis Umum
Bedak	4%
Salep	10-20%
<b>ANALGETIK-ANTIPIRETIK</b>	
Nama Obat	Dosis Umum
Camphora	5% (var)
Menthol	10% (var)
Methyl salicylicum	12,5-15% (var)
<b>ANTIBIOTIKA TOPIKAL</b>	
Nama Obat	Dosis Umum
Chloramphenicol	Salep 2-4%
Erythromycine	2%
Gentamycine	0,1-0,3%
Neomycine	0,5-1%
Terramycine	0,5-1%
Tetracycline	Salep 1-3% Salep mata 0,5-2%
Sulfamycine	0,5%
<b>ANTI-FUNGAL</b>	
Nama Obat	Dosis Umum
Acid. benzoicum	4%
Acid. boricum +alkohol	4%
Acid. salicylicum	3-5%
Acid. undecylenicum	4%
Clotrimazole	1%
Ketoconazole	2%
Nystatin	100.000 IU
<b>ANTI-HISTAMIN</b>	
Nama Obat	Dosis Umum
Diphenhydramine HCl	2%
<b>ANTI-INFLAMASI</b>	
Nama Obat	Dosis Umum
Betamethasone	0,05-0,1%
Dexamethasone	0,05-0,1%
Hidrocortisone	1-2%
Prednisone	0,5%
<b>ANTI-PERSPIRANT</b>	
Nama Obat	Dosis Umum
Alum et Kalii Sulphate	5-10%
<b>ANTI-PRURITUS</b>	
Nama Obat	Dosis Umum
Acid. salicylicum	1-3%
Benzocaine	0,2-5%
Camphora	2-10%
Menthol	0,5-1%
<b>ANTI-SEPTIKA</b>	
Nama Obat	Dosis Umum
Acid. boricum	3-15%
Acid. salicylicum	1-3%
Calamine	5%
Hexachlorophen	0,25-3%
Sulfur ppt	3-5%
Zinci Oxyde	20-40%

ASTRINGENT	
Nama Obat	Dosis Umum
Amyl. Trifici	10%
Bismuth hidroxyde <i>(jg sbg antiseptik mukosa)</i>	3-5%
Calamine	5-10%
Talcum venetum	10%
Tannin <i>(astringent kuat)</i>	4-6%
Zinci Oxyde	10%
<b>DEODORANT</b>	
Nama Obat	Dosis Umum
Benzolkonium chloride	0,5%
Neomycine sulphate	1%
<b>KALIUM PERMANGANAT</b>	
Kegunaan	Dosis Umum
Cuci lambung	0,02%
Cuci luka	2-3%
Kompres	1 g/4000 ml
Mandi (aqua 10-20 ltr)	1 g/5000 ml - 1g/4000 ml
Rendam duduk (aqua 2 ltr)	1 g/5000 ml - 1g/1000ml
<b>KERATOLITIKUM</b>	
Nama Obat	Dosis Umum
Acid. salicylicum	5-10%
Resorcinol	2-5%
<i>Resorcinol jg digunakan sbg endolativum, antipruritus, anti acne, anti seborrhoic</i>	
<b>KERATOPLASTI-CELL PROLIFERANT</b>	
Nama Obat	Dosis Umum
Acid. salicylicum	0,5-1%
Balsamum peruvianum	4-5%
Oleum locoris acelli	10-30%
<i>Oleum locoris acelli sering dipakai pada px luka bakar—melunakkan salep pd luka bakarnya</i>	
<b>LOCAL ANAESTHESIA</b>	
Nama Obat	Dosis Umum
Benzocaine	0,2-5%
Lidocaine	2%
Menthol-Camphora	0,5-1%
<b>PARAFFINS</b>	
Nama Obat	Dosis Umum
Cera alba <i>(setara dgn Paraffin Solidum)</i>	5-10%
Oleum sesami <i>(setara dgn Paraffin Liquidum)</i>	10%
Paraffin liquidum <i>(u/ melunakkan salep, biasanya u/ salep mata)</i>	10-25%
Paraffin solidum <i>(u/ mengeraskan salep mjd ~ balsem)</i>	25%
<b>PENGAWET</b>	
Nama Obat	Dosis Umum
Nipagin	0,1%
Nipasol	0,001%
<b>PENGERING</b>	
Nama Obat	Dosis Umum
Amyl. Trifici	10%
Calamine	10%
Calc. Carbonat	10%
Talcum venetum	10%
Zinci oxyde	20-40%

SCABICIDE		
Nama Obat	Dosis Umum	
Acid. salicylicum	2%	
Benzyl Benzoat	20%	
Sulfur ppt	4-40% (var)	
<b>OBAT TETES</b>		
<b>AURICULARIS</b>		
Khasiat	Nama Obat	Dosis Umum
Analgetika	Antipyrin	5%
Antibiotika	Chloramphenicol	1-2%
	Gramycidine	0,005%
	Soframycine	0,5%
	Tetracycline	0,5%
Pelunak serumen	Glycerin	4%
	Natr. Carbonat Propylen glycol (jg sbg pelarut chloramphenicol)	10-15%
<b>NASALES</b>		
Khasiat	Nama Obat	Dosis Umum
Anti-histamin	Antazoline sulphate	0,5%
	Benadryl	0,1-2%
Decongestant	Ephedrine	0,4-1%
	Menthol	5%
	Napazoline sulphate	0,025%
Pengawet	Chlorbutamol	0,5%
Skin prolif. epitel	Balsamum peruvianum	4-10%
<b>OPHTALMICA</b>		
Khasiat	Nama Obat	Dosis Umum
Antibiotika	Chloramphenicol	1-2%
	Tetracycline HCl	0,5%
Antiinflamasi	Hidrocortisone aetat	0,5%
Antiseptik	Acid. boricum	3%
Astringent	Zinci sulphate	0,25-2%
Midriatikum	Atrophine sulphate	1%
Pengawet	Scopolamine HBr	0,1%
	Phenyl mercuri nitrate	0,002%

VEHICULUM			
BSO	Vehikulum	Note	
Padat (Pulv.)	Talcum venetum	Ad 50, 100, 150 g	
Cair (Mixt. Agit. Susp)	Aqua, Spiritus	Gtt: 10 ml	
		Oles: 50, 100, 150 ml	
<b>Ung</b>			
½ Padat (Ung/Cream/Pasta)	Epi	Vaselin	Tgt luas area oles: Ad 5, 10, 15, 20, 30, 50 g
	Endo	Adeps Lanae	
	Muko-sa	Vaselin + Adeps Lanae 10-20%	
	W/O	All purpose cream Emulgide cream	
O/W	Vanishing cream Cleansing cream	Tgt luas area oles. <i>Tidak boleh ada remedium Asam dan bahan panas dim cream</i>	
<b>Pasta</b>			
Vaselin		Tgt luas area oles.	
<i>Pasta-- yg penting kandungan bhn padat 40-60%. bila persentase remedium &lt;40%--&gt; jgn me! persentase remedium krn akan merubah khasiat. TAMBAHKAN SAJA BHN PENDINGER (c/ talcum venetum, zinci oxyde, dsb s/d 40-60% total</i>			

August 2007  
Retyped Edition  
By: Indah eSpi

MY NOTE